




ROTARY DRUM SEED CLEANER

ROTARY DRUM SEED CLEANER

Rotary Drum Seed Cleaner is a Universal machine and designed as multi task machine which can do **Pre-Cleaning, Fine Cleaning** and **Grading** of seed lot such as barley, wheat, corn, oat, rice, soybeans, sunflower, canola, beans, chickpeas, lentil, yellow pea and all granule seed types.


Seed Cleaning; Rotary Drum Cleaner consists of an aspiration system followed by a rotary perforated drum screens.

Seed passes through aspiration system to separate light impurities, then screening task occurs on designated perforated screens as required operation and undersize admixtures separated and oversize admixtures separated at the end of the drum.



Seed Grading; Rotary Drum Cleaner consists of an aspiration system or it can be supplied without aspiration system if not required for Seed Grading purpose.


Seed passes through aspiration system to separate light impurities (if aspiration system supplied) then screening task occurs on designated perforated screens as required operation and undersize sizes/g-grades separated in the drum.



TECHNICAL DRAWING

- ① Air bleed to control aspiration volume
- ② Spreader
- ③ Settling Chamber
- ④ Counterweight distribution flap
- ⑤ Discharge Auger (Except 100 Series)
- ⑥ By-pass for Aspiration Pre-Cleaning
- ⑦ Inclined rotating drum, with distribution trays for maximum screen usage
- ⑧ Fan (removes light density material)
- ⑨ Possible drum aspiration
- ⑩ Variable slope (option)
- ⑪ Screen cleaning rolls
- ⑫ Variable rotation speed (option)
- ⑬ Easily removable screens
- ⑭ Moveable bulkhead (except 400 series)

PRE-CLEANING SCHEMA




TECHNICAL DATA

Model	Number of Screens	Drum Diameter (mm)	CAPACITY				Dimensions (m)			Drum Drive Motor
			Aspirating Pre-Cleaning* TPH	Course Pre-Cleaning* TPH	Cleaning* TPH	Grading* TPH	Length	Width	Height	
RDSC-102	2	550 ϕ	-	4,5	3,5	1	1800 mm	650 mm	800 mm	1.1 kW
RDSC-103	3	550 ϕ	-	6	5	1,5	2300 mm	650 mm	800 mm	1.1 kW
RDSC-104	4	550 ϕ	-	8	7	3	2800 mm	650 mm	800 mm	1.1 kW
RDSC-203	3	650 ϕ	40	30	15	4	3100 mm	850 mm	1300 mm	1.1 kW
RDSC-204	4	650 ϕ	40	35	25	6	3800 mm	850 mm	1300 mm	1.1 kW
RDSC-303	3	850 ϕ	90	70	50	8	4600 mm	1000 mm	1700 mm	2.2 kW
RDSC-304	4	850 ϕ	90	90	70	12	5700 mm	1000 mm	1700 mm	2.2 kW
RDSC-403	3	1300 ϕ	250	200	110	14	5100 mm	1550 mm	2300 mm	3 kW
RDSC-404	4	1300 ϕ	250	250	200	20	6250 mm	1550 mm	2300 mm	4-5.5 - 7.5 kW
RDSC-405	5	1300 ϕ	250	250	200	25	7300 mm	1550 mm	2300 mm	5.5 - 7.5 kW

*T/H, Guide only, based on wheat with density 750 kg/m³ and 2% impurities



ROTARY DRUM SEED CLEANER



Akyürek Kardeşler Tarım Ürünleri
Makinaları Taşımacılık Madencilik
San. Tic. Ltd. Şti.



Karaduvar Mahallesi 65117 Sokak
No:37 Mersin / TÜRKİYE

Telefon : +90 324 237 47 48 – +90 324 234 47 59
+90 324 234 37 14 – +90 324 234 47 10

Faks : +90 324 234 47 07
E-posta : info@akyurekLtd.com
Web : www.akyurekLtd.com

Akyürek Kardeşler Tarım Ürünleri
Makinaları Taşımacılık Madencilik
San. Tic. Ltd. Şti.



Karaduvar Avenue 65117 Street
No:37 Mersin / TURKEY

Phone : +90 324 237 47 48 – +90 324 234 47 59
+90 324 234 37 14 – +90 324 234 47 10

Fax : +90 324 234 47 07
E-mail : info@akyurekLtd.com
Web : www.akyurekLtd.com

Акурек Братья Сельскохозяйственной
Продукции Машины Горно-
Транспортной
Сан. Тiс. Ltd. STI.



Российская Федерация, Краснодарский край,
г.Краснодар,Калининский сельский округ,

п. Победитель, участок № 5 / RUSSIA

Почтовый Индекс : 350056

телефон : +7 988 389 41 80

Электронной почте : info@akyurek.ru

Web : www.akyurek.ru



CE
ISO 9001 - 2008
QUALITY ASSURANCE

+90 444 6 259

www.akyurekLtd.com

Akyurek Kardeşler San.Tic.Ltd.Sti. Have all the copyrights of the information and pictures provided in this catalogue. We have all rights to do necessary adjustments on the product & these changes may not reflect on the catalogue at the moment of production. We will do our utmost to inform you all the changes if and when.